PREMIUM INCLUSIONS

SPECIFICATIONS & INCLUSIONS

Construction Detail

Slab designed & engineered: S Class Site
Cyclone Category: C1 Wind
Engineers Soil Test: Included
Plans & Specifications: Included
Council Application Fees: Included
Builders Insurance Fess: Included

Water to House: Included (Maximum of 10 meters)

Power to House: Included (Maximum of 10 meters Single Phase)

Dispensation for Setbacks: By Owner

Termite Protection

All timbers treated as per the Australian standard and slab penetration collared.

Note: All timbers termite treated i.e. Roof trusses, wall framing, internal door jambs and architraves

Plumbing & Drainage

Temperature limiting valve throughout home (if required a 500 kpa pressure limiting valve installed).

Two yard taps with back flow prevention valves.

Sewer and Storm water to suit standard 800m2 block.

Hot Water System

340lt CMD Solar Hot Water System (or equivalent).

Stormwater

To Council requirements and a max. length 60 lineal meters.

<u>Sewerage</u>

To Council requirements and a max. length of 30 lineal meters.

Foundations & Floors

Main floor type: Concrete
Carport floor type: Concrete

Patio & Porch floor type: Structural Concrete
Earthworks: Cut & fill max. 600mm

External Walls

Wall type: 200mm Block

Wall finish: Granite 2 Coat Texture Finish as STANDARD

Internal Walls

Wall frame: 75mm Timber studs at 600mm centres

Wall height: 2600mm
Wall finish: Plaster board
Garage walls: Rendered

Roof

Roof type: Colourbond - Custom Orb in Corrugated or Trim Deck

Roof pitch: 21 Degrees or as per standard marked plans.

Fascia & Gutter: Colourbond with square line finish.

Insulation: R3.5 Ceiling batts (NQ Homes goes over & above Australian Standard requirements)

Roof Ventilation: Energy efficient solar Roof Ventilation as STANDARD





^{*}Items may change subject to suppliers availability or at builders discretion. An equivalent or similar product will be used in its place.

External Lining

Soffit lining: Fibre cement sheeting

Soffit width: 600mm
Carport & Patio linings: Plaster board

Roof Gables: Fibre cement sheeting or PrimeLine (as per plans)

Internal Ceilings

Ceiling type: Plaster board

Cornice type: Square Set or 90mm Cornice



SQUARE SET





NOTE: The Alfresco and Garage must have a cornice due to block work being incorporated with the ceiling and being two different surfaces. The suggested size is 55mm as it is less imposing.

Windows/Sliding Doors

Frames: Aluminium or as per plan

Locks: To Doors Only

Colour: Standard Powder Coated Range

Glass type: Solar 2 (High tinting as standard No extra cost!!!)

Glass type to Bathroom,

Toilet or Ensuite: Obscure Reveals: Square Set

Doors/Window: Head heights 2000mm as standard

(Note: Door seals to all timber external doors) All External doors to hinge inwards to allow for screens.

SAMPLE IMAGE OF FLOOR TO CEILING GLASS STACKER DOORS 2600H!



Tropical Living

NOTE: All aluminium sliding doors are rebated in slab for smooth indoor, outdoor transition.

Up to 1200mm EXTRA WIDE hinged door as STANDARD with some home designs.

(Please Note: 1200mm Door is only available if shown on your building plans.)

From Corinthian Range: AMERICAN OAK

1200MM





AWOWS 19H AWOWS 5G

AWOWS 21

^{*}Items may change subject to suppliers availability or at builders discretion. An equivalent or similar product will be used in its place.

820MM



Entrance Door Lock: Gainsborough Entrance Lever set Bela in SC

Other Doors: External ply

Door Frame/Jamb type: Timber painter to match external and internal wall colours to suit.

Door Stops: White bumpers to wet areas & DS1 and DS2 elsewhere.

Other external doors: Aluminium sliding doors or as per plans

Internal Doors/Furniture

Doors: Plain flush Frames: Treated Pine

Locks: Privacy set to bathrooms

Handle Type: Bela Square





<u>Garage External Doors:</u> Garage timber hinged doors are now being converted to 21-20SD aluminium sliding doors. Garage panel lift door opening head height now 2300mm, at builder's discretion.

Robes

Door type: Mirror slider

Robes: White wire shelves with one hanging rail & a bank of 3 shelves 450mm wide



Shelving Configuration (Indicative only*)

Linen

As per plan: Quick slider or Mirror slider with 4 wire shelves in white.

Broom Cupboard: One white wire shelf.

Pine Timber Mouldings

Door Architraves:
Skirting:
Bullnose OR Square
Bullnose OR Square

BULLNOSE



<u>Tiling</u>

Bathroom Floor: 2m approx. to shower, 600mm approx. above bath, 200mm approx. above vanity &

150mm approx. skirting

Ensuite Floor: 2m approx. to shower, 200mm approx. above vanity & 150mm approx. skirting

*Items may change subject to suppliers availability or at builders discretion. An equivalent or similar product will be used in its place.

W.C: 150mm approx. skirting


Laundry Floor: 150mm approx. skirting & 600mm approx. above tub

Kitchen: 600mm approx. high above bench tops

(MODERN CONTEMPORY CHROME EDGING TO MITRE EDGES AS STANDARD!!)

NOTE: Smart tile drains used through

out homes for a designer finish. Bermuda Tile Inset waste square chrome 100mm.



Tiles from EXTENSIVE Builders Gold Range please note:

All tiles to be laid square, no border or feature tiles allowed. Standard tile selection consists of one tile for the floor, one tile for the bathroom walls, one tile for the kitchen splashback, and one tile for the laundry splashback. An extensive range is available up to 600mm x 600mm in size plus timber look tiles!

(Note: NO allowance for labour has been made for porcelain or rectified edge tiles in Builder Gold Range. These tiles will incur additional costs or charges)

Kitchen

With bulkhead as standard!

(A bulkhead is built in above the overheads to stop dust collecting above overhead cupboards)



*Indicative Images only

Kitchen Cabinets:

Doors & bench tops in POLYTEC GLOSS/MATT LOOK in a choice of standard colours to cupboard doors or panel with a matching 2mm PVC edging strip (or equivalent). Square or Rolled edges.

Bank of 4 drawers 450mm wide approx. with top draw as a cutlery draw.

HANDLESS Overhead cupboards STANDARD as per plan.

Dishwasher provision with cold water point and power.

(Note: Dishwasher not included)

Kitchen Kickboards: Kitchen kickboard is in ply for future tiling.

Kitchen Sinks: Franke Rapid Rpx621 D/Bowl Sink LHD SS



NOTE: NQ Homes makes every effort to centre kitchen sinks to bench however with some selections &/or configuration, this is not always possible. Plans will be adjusted to suit.

Kitchen Mixers: Mizu Bloc Sink Mixer MK2

*Note: At times your kitchen sink selection may alter your configuration of cupboard doors /drawers.

Fridge Space: Cold water tap to fridge space STANDARD. Fridge opening size as per plans.

*Items may change subject to suppliers availability or at builders discretion. An equivalent or similar product will be used in its place.

Kitchen, Bathroom &

Laundry Cabinetry: MODERN STYLED HANDLES TO CHOOSE FROM in

BLACK, WHITE AND CHROME FINISHES.

Bathroom

Bathroom & Ensuite: Doors & Benchtops PINEPANELS COLOURPYNE, FORMICA GLOSS PANELS or

POLYTEC GLOSS/MATT LOOK in a choice of standard colours to cupboard doors or

panels with a matching 2mm PVC edging strip.

Square or Rolled edge.

Vanity: Designer floating vanity as STANDARD!



*Indicative image only. (Note: NO drawers to vanities, this is an upgrade)

Shower: Glass framed shower screen with semi frameless pivot door/s if shown on plans or as required.

Bath: Decina Base Bath 1650mm X 715mm X 380mm (as per plans Builders selection if bath shown)



Mirrors FULL WIDTH OF VANITY and framed.

Basin: FROM Builders standard supply

Recessed, Semi Recessed or Countertop Square / Round / Oval Basins.

Vanity Basin Type:



KADO LUX VANITY BASIN 1TH WITH MIZU PUSH PLUG (410W X 415L)



KADO LUX
ABOVE COUNTER BASIN
1TH
WITH MIZU PUSH PLUG
(430W X 475L)



POSH DOMAINE VANITY BASIN 1TH WITH MIZU PUSH PLUG (450W X 525L)



AMERICAN STANDARD HERON SQUARE COUNTER BASIN 1TH (449W x 499L)

NOTE: Tapware shown in Basin pictures is NOT in Builders Range

AXA CENTO MINI WALL BASIN 1TH WITH MIZU PUSH PLUG (250w X 450I)

New Toilet Suite:

MODERN BACK TO WALL SOFT CLOSE TOILET SUITE!





American Standard Heron Hygiene Rim Back Inlet Close Coupled Back to Wall Toilet Suite with Soft Close Quick Release Seat White (4 Star)

Shower Mixer: Builder selected shower head options.

MODERN CONTEMPORY RAIN SHOWER HEAD, HANDHELD OR WALL MOUNTED RAINSHOWER HEAD STANDARD

RAIN SHOWER HEADS



ROUND CEILING MOUNTED



SQUARE CEILING MOUNTED

HANDHELD SHOWERS



ROUND WALL MOUNTED



SQUARE WALL MOUNTED

MIZU BLOC MK2 Mixer Range

BASIN MIXER SHOWER MIXER BATH SPOUT WATERFALL BATH OUTLET









^{*}Items may change subject to suppliers availability or at builders discretion. An equivalent or similar product will be used in its place.

FREE STANDING BATH TAPWARE & BATH: (*ONLY applicable if shown on your building plan)





POSH SOLUS FREESTANDING BATH 1780mm WHITE

Towel Rail: Mizu Bloc Mk2
Toilet Roll Holder: Mizu Bloc Mk2

Laundry

Laundry Tub: Posh Kensington 45L Trough & Cabinet or Drop in Trough 45L (Builders Selection)

Laundry Tub Mixer: American Standard Sink Mixer with Pull Out Spray







PULL OUT SPRAY

Washing Machine Taps: Builder under mounted in tub or laundry cabinetry.

Cupboards: As per kitchen if shown.

NOTE: Tapware plumbing for washing machines are located within the laundry cabinet for a clean modern finish keeping laundry tapware off the wall exposed to collect dust.

Electrical

Isolator switch to Cooktops, Hot Water Systems, AC Units & Ovens.

Internal lights: LED recessed lighting in white throughout %100 of home STANDARD as per

plans - 2 per bedroom but not including the garage.

Double power points: Min. of one per room as per plans, 2 to master bedroom, 3 to kitchen (plus single

power point in meter box).

Ceiling Fans: 1200mm – White Three blade fans to all living, bedrooms and alfresco or

as per plans.

T.V points: 1 External Antenna: 1

*If a Media room is shown on plans, a TV point & Double Power Point will be provided, AS STANDARD

Phone Outlets: 1

Smoke Detectors: As required.

External decorative lights

to front facade: 1 or 2 to either side of garage or portico from Builders Selection.

(as per plan).







ROUND *AVAILABLE ONLY IN STAINLESS



SQUARE *AVAILABLE ONLY IN STAINLESS

^{*}Items may change subject to suppliers availability or at builders discretion. An equivalent or similar product will be used in its place.

Spotlights: 1 Double spotlight is standard (no sensor)

External double power point: 1 (Alfresco)

NEW USB point: 1 Double power point with 2 x USB charging points, STANDARD!!

(Note: This point requires approx. 50mm deep backing point)

Master Bedroom: Has an additional Double power point & TV point.

<u>Electrical Appliances (Size to be selected at Sales point and noted in Colour Selection)</u>

A choice of 600mm or 900mm as STANDARD!

(Note: Some plans will not allow enough space for 900mm appliances in which case 600mm goods would apply).

* NOTE: Some model codes may vary. Gas Cooktops are an extra cost.

WALL / UNDER BENCH OVEN:



BAUMATIC 60cm Electric Oven 'BO7C' w/ Stainless Steel + Black Glass – 7 Function



BAUMATIC 90cm Electric Oven 'BM90S' w/ Stainless Steel + Black Glass – 10 Function

COOKTOPS:



BAUMATIC 60cm Electric Cooktop 'BCT4' Ceramic Glass + Stainless Steel trim – 4 zone + 1 dual zone



BAUMATIC 90cm Electric Cooktop 'GECE9004' Ceramic Glass + Stainless Steel trim – 4 zone + 2 x extended cooking zones

RANGEHOODS:



BAUMATIC 52cm Undermount Rangehood 'GUH52SD' Stainless Steel OR BAUMATIC 90cm Undermount Rangehood 'GUH90' Stainless Steel

Built in Outdoor BBQ (ONLY if shown and included in pricing for your new home)





SMARTSTONE or equivalent 20mm STONE TOPS STANDARD Beef Eater 1100E 4 burner BBQ Standard as

shown.

Built-in BBQ: BEEFEATER Signature 3000S 4 burner black enamel built-in barbecue with window hood. Afa Flow Single Bowl 428mm Under Mount Sink Stainless Steel (ONLY If shown on your plan) BBQ Sink:

(Tapware Mizu Drift MK2 Sink Mixer Chrome)

Р	a	ir	١t	ii	ηg

External: Wall & Eaves 1 Colour (3 Coat Paint System) TAUBMANS All Weather or

DULUX or equivalent.

Internal: Walls, Woodwork & Ceiling 1 Colour per (3 Coat Paint System) TAUBMANS

(*Or equivalent paint quality)

Garage Door

Colourbond Panel Lift Door: Remote with two handsets and one wall mounted remote. NOW Cyclone rated as

per Australian Standards. In standard colours range, wood look is an extra cost.

(size - as per plans).

Profile: WOODGRAIN (textured finish)

Models:

















(Note: * Some items shown are indicative only and may vary.)

** Extra cost applies for timber look garage doors and gables. Gables are painted as standard not hardwoodstained look, this is an extra cost and stain colour cannot be guaranteed**



^{*}Items may change subject to suppliers availability or at builders discretion. An equivalent or similar product will be used in its place.